



inmind

thinking
about project



Bit visitor chairs

profim



Technical data

product description

550H - four legs, plastic seat and backrest
 550H 2P - four legs, with armrests, plastic seat and backrest
 550V - cantilever, plastic seat and backrest
 550V 2P - cantilever, with armrests, plastic seat and backrest
 555H - four legs, plastic seat, mesh backrest
 555H 2P - four legs, with armrests, plastic seat, mesh backrest
 555V - cantilever, plastic seat, mesh backrest
 555V 2P - cantilever, with armrests, plastic seat, mesh backrest
 560H - four legs, upholstered seat, plastic backrest
 560H 2P - four legs, with armrests, upholstered seat, plastic backrest
 560V - cantilever, upholstered seat, plastic backrest
 560V 2P - cantilever, with armrests, upholstered seat, plastic backrest
 570H - four legs, upholstered seat and backrest
 570H 2P - four legs, with armrests, upholstered seat and backrest
 570V - cantilever, upholstered seat and backrest
 570V 2P - cantilever, with armrests, upholstered seat and backrest
 575H - four legs, upholstered seat, mesh backrest
 575H 2P - four legs, with armrests, upholstered seat, mesh backrest
 575V - cantilever, upholstered seat, mesh backrest
 575V 2P - cantilever, with armrests, upholstered seat, mesh backrest

frame

Metal tube with cross section fi 22 mm.

Variants:



- black (powder coated)
- metallic (powder coated)
- shiny chrome (chrome)
- satin chrome (chrome)

armrest

Hard plastic; always black.

glides	- standard - teflon glides (universal), - option - felt glides (for hard floors).
seat	- plastic, black - upholstered - cut foam - density 35 kg/m3
backrest	- plastic - upholstered - cut foam - density 25 kg/m3 - mesh
net weight	550H, 555H - 5,5 kg 550H 2P, 555H 2P - 6,0 kg 550V, 555V, 570H 2P - 7,5 kg 550V 2P, 555V 2P, 570V - 8,5 kg 560H, 575H - 6,5 kg 560H 2P, 570H, 575H 2P - 7,0 kg 560V, 575V - 8,0 kg 560V 2P, 575V 2P - 9,0 kg 570V 2P - 9,5 kg
gross weight	550H, 555H - 9,5 kg 550H 2P, 555H 2P - 10 kg 550V, 555V - 11,5 kg 550V 2P, 555V 2P - 12,5 kg 560H, 575H - 10,5 kg 560H 2P, 570H, 575H 2P - 11,0 kg 560V, 575V - 12,0 kg 560V 2P, 575V 2P - 13,0 kg 570H 2P - 11,5 kg 570V - 12,5 kg 570V 2P - 13,5 kg
stacking	550H, 550H 2P, 555H, 555H 2P - 5 unités 560H, 560H 2P, 570H, 570H 2P, 550V, 550V 2P, 555V, 555V 2P, 560V, 560V 2P, 570V, 570V 2P - 3 unités
additional	Joining in rows

Dimensions





inmind

256, Kifisias Ave.
15231 Chalandri, Athens

+30 210 614 1550
info@inmind.com.gr

inmind.com.gr