characteristics Nexxit 2 with castors Article: 9033 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	450-600
		B:	460
		Т:	400-460
Packing data	Weight	kg	17,5
T acking data	Volume	m ³	0,175



	Benefit
Ergonomically shaped backrest with horizontal stitching, tapers upwards. Backrest height adjustment by 60 mm	Relieves the strain on the spine and muscles. Healthy sitting posture due to the wide support for the back around the lumbar vertebrae. Pleasant microclimate on the back and optimum freedom of movement for the arms.
Ergonomically shaped seating surface with chamfer integrated into the edge of the seat.	Ensures that people are ideally supported - especially around the lumbar vertebrae - no matter their size. Automatically requires the sitting posture to be correct. The chamfers prevent blood congestion in the thighs.
Duotec fabric: Hard-wearing, breathable and comfortable fabric upholstery. Fire protection according to EN 1021 Part 1 Colour: Black.	Upholstery is breathable and can absorb and release humidity. Extremely soft to guarantee maximum seating comfort.
Stable and robust functional handles on the backrest. Available in the colours blue (3277), grey (3278), orange (3279) and green (3280).	Maximum mobility and simple handling of the chair.
5 star base made from steel shape tube, powder-coatet. Flat design.	Very high stability, longevity. Flat design prevents stumbling hazard.
Load-dependent braked, soft double castors for hard floors.	Chair does not roll away when unloaded, thus minimised risk of accident.
The material used is recyclable.	Environmentally friendly.
	stitching, tapers upwards. Backrest height adjustment by 60 mm Ergonomically shaped seating surface with chamfer integrated into the edge of the seat. Duotec fabric: Hard-wearing, breathable and comfortable fabric upholstery. Fire protection according to EN 1021 Part 1 Colour: Black. Stable and robust functional handles on the backrest. Available in the colours blue (3277), grey (3278), orange (3279) and green (3280). Star base made from steel shape tube, powder-coatet. Flat design. Load-dependent braked, soft double castors for hard floors.



inmind

—

thinking about project

characteristics Nexxit 2 with castors

Article: 9033 fabric

Dimensions in mm				
	Backrest:	H:	530	
	Seat:	H:	450-600	
		B:	460	
		T:	400-460	
Packing data	Weight	kg	17,5	
	Volume	m³	0,175	J.
Technology		adjustment, incl. r	nology with automatic weight nanual precision adjustment on in three settings.	Ideal support which makes it possible to switch between various sitting postures at the same time. This enables dynamic sitting, relaxes the muscles, relieves the strain on the discs, improves blood flow and significantly increases concentration and performance. The backrest pressure is adapted automatically. Additional precision adjustment is possible. Several users can use the chair in alternation without having to constantly reset the weight adjustment.
		Seat inclination ad	djustment by 6°	Many tasks are performed in a posture which is slightly raised and angled forwards. A correspondingly inclined seating surface ensures a seating angle of at least 90° while contact with the backrest is maintained.
		Seat depth adjust	ment by 60 mm	Adapts the depth of the seat to the body size and therefore provides an ideal surface for the thighs to rest on. Contact with the backrest and therefore its support is always retained.
Standards		DIN EN ISO 1400 management EMAS tested envi	"tested safety" quality management 1 environmental ironmental management cupational health and	All functions can be operated conveniently and simply while seated using the operating lever. Verified by certificates from independent testing institutes, quality, environmental friendliness and procurement security.
Guarantee		EcoVadis CSR rat		Quality assured and cost effective. Exchange of parts, free of charge, within the guaranteed period.

bimos

characteristics Nexxit 2 with castors

Article: 9033 fabric

Dimensions in mm	Backrest:	H:	530
	Seat:	H:	450-600
		B:	460
		T:	400-460
Decking data	Mainht		17,5
Packing data	Weight	kg	17,5
	Volume	m³	0,175



Options		Benefit
Base	Aluminium base polished.	High quality. Attractive design.
Armrests	Multifunctional armrest Height-adjustable (100 mm), width-adjustable (continuously by increments of 25 mm), depth-adjustable (50 mm), pivotable (30°), soft armrest pads.	The armrests relieve the neck muscles. The adjustment options guarantee the ideal position for all users.
Foot Ring	Height adjustable, chromium-plated foot ring.	Wide foot plate provides good support. Height can be quickly and easily adjusted.

bimos

<u>•</u>•

inmind

_

Λεωφόρος Κηφισίας 342 & Πίνδου 58, Χαλάνδρι, Αθήνα, Τ.Κ. 15233 | Τ +30 210 6141550

Λαέρτου 22, Πυλαία, Θεσσαλονίκη Τ +30 2310 472584 342 Kifisias Av. & 58 Pindou Str.,15233, Chalandri, Athens | Tel +30210 6849990

22 Laertou str. Pylaia, Thessaloniki | Greece | Tel +30 2310 472584

info@inmind.com.gr | inmind.com.gr