




**inmind**

thinking  
about project



Type	Visio
Character/application	Transparent mobile glass wall, suitable for enclosing a space without losing visual contact between interconnected rooms.
Panel dimensions	
Profile thickness	45 mm
Glass thickness	10 mm: with panel height up to 3,000 mm 12 mm: with panel height from 3,000 to 3,500 mm
Height	Up to 3,500 mm
Width	Up to 1,250 mm
Door panel	Clear access width 866 mm, with standard door width of 950 mm
Frame construction	Horizontal solid aluminium profiles (technically anodised aluminium) in which the glass is mounted.
Panel view	Visible horizontal aluminium profiles. Standard version technically anodised colourless aluminium. Can be painted in any RAL colour if required.
Glazing	10 – 12 mm toughened glass in accordance with EN standard 12150 with tolerance in accordance with EN standard 572-2
Finish	The glass can be made with a (partially) depolished or coloured layer. The glass can also be sand-blasted or screen printed.
Weight	26 kg/m <sup>2</sup>
Panels interconnect	The horizontal profiles engage in such a way as to prevent damage to the glass.
Panels connect at top and bottom	The horizontal profiles are fitted with draughtproofing.
Side connection (option)	Aluminium U-profiles and/or draughtproofing rubber profiles
Track	Solid aluminium profile (technically anodised colourless), for both the single point track with dimensions 110x78 mm (wxh) and for the two point track with dimensions 110x98 mm (wxh).
Wheels/trolleys	Bearing-mounted with wear-resistant plastic running surfaces ensuring the panels move smoothly and quietly. Single point: max. 240 kg panel weight. Two point: max. 400 kg panel weight.
Static behaviour	The panels are top-hung in the track and designed to bear their own weight only; they must not be subjected to any external loading.
Environmental conditions	Only suitable for indoor applications. (outdoor applications on request)
Notes	Other specifications on request.

The contents of this technical data sheet were correct when published.  
Espero reserves the right to make changes without prior notification.  
Waalwijk, The Netherlands, 01.07.2013



**inmind**

256, Kifisias Ave.  
15231 Chalandri, Athens

+30 210 614 1550  
info@inmind.com.gr

**inmind.com.gr**